

araneus. "A shore Crab," but it is really *Portunus depurator*.—Fol. xxiii. Fig. sup. Perhaps *Nymphon giganteum*. Fig. med. "Cancer araneus" = *Stenorynchus Phalangium*. Fig. inf. The Common Crab.—Fol. xxiv. "*Scolopendra marina nostras*" = *Aphrodite aculeata*.—Fol. xxv. "*Loligo nostras*" = *L. sagittata*.—Fol. xxvi. "The Lugg" = *Arenicola piscatorum*. "*Urtica rarior sphaericus*," a species of *Medusa* unknown to me.—Fol. xxvii. Four unfinished sketches of a *Medusa*, probably the *M. cruciata*; and three equally rude figures of *Lobularia digitata*.—Fol. xxviii. The claws of the Norway Lobster (*Nephrops norvegicus*); and a "chela *Astaci monstrosa*."—Fol. xxix. "*Canis carchariae Icon rudior*"—so rude as to be beyond specific identification—"Stella echinata" = *Ophiocoma rosula*.—Fol. xxx. "*Gurnadus griseus*" = the Grey Gurnard.—Fol. xxxi. The Tunny: a good figure.—Fol. xxxii. The Tusk: a finished drawing.—Fol. xxxiii. "*Gurnardus griseus*"—the Grey Gurnard again.—Fol. xxxiv. "*Trachurus*"—viz. the Horse-Mackerel.—Fol. xxxv. A figure probably of the Cook Wrasse.

The only other figures are copies of those which have been engraved for the *Scotiæ Prod. Nat. Hist.* and for Sibbald's other works, more especially his little volume on Whales.

CLAUSILIA ROLPHII.

Some of the "new localities" for British plants and shells, discovered by the Rev. W. H. Hawker and given in the last Number of the 'Annals' (p. 212), are so remarkable, that I was glad to see one which I could confirm from personal observation; viz. the station for *Clausilia Rolphii* (*plicatula*, Drap.) in Ashford Woods, where I met with it fifteen years ago, when collecting with Mr. Wm. Harris, F.G.S., of Charing.—S. P. WOODWARD,

HELIX ASPERSA.

A curious specimen of the common Garden Snail has been sent me by Miss A. Hodgson of Ulverstone. It is an adult shell with a second, half-grown individual, fixed to its spire and partly imbedded in the suture of the body-whorl. The winter door (*epiphragm*) remains in the exposed part of the small shell's aperture, showing that it had died during the first hibernation, whilst its neighbour had survived, and not getting free from the incubus of the empty house of the deceased, had partially enveloped it in the course of its growth to maturity.—S. P. WOODWARD.

Descriptions of some New Species of Birds.

By the Viscount DU BUS DE GISIGNIES.

1. *Vireosylvia frenata*. V. supra flavido-cinerea; pileo pure cinereo; superciliis ad nucham productis et genis dilute fulvescentibus; subtus albida; hypochondriis dilute flavido-cinerascentibus; gula utrinque stria atra a basi mandibulæ descendente marginata; remigibus